

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14	("5981975" "6832013" "6907150" "6158901" "6859603").pn. "20020119588"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/19 16:35
L2	6	(etch adj stop) with (hole opening remov\$3) with (laser near3 abla\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/19 14:29
L3	45	(laser near3 abla\$4) with (carbon adj dioxide adj laser)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/19 14:28
L4	2	3 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/19 14:27
L5	132	(etch adj stop) with (hole opening remov\$3) with (reactive adj ion adj etching)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/19 14:28
L6	1	5 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/19 14:28
L7	4	(etch adj stop) with (hole opening remov\$3) with (fiducia\$2 (reference align\$4) (mark point)) with (waveguide fiber)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/19 14:31
L8	1	7 and alignment adj pin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/19 14:31
L9	1	7 and align\$4 near3 pin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/19 14:32
L11	5	1 and waveguides	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/19 14:40

L12	1	1 and (selective adj etch adj stop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/19 14:42
L13	2502	(etch adj stop) with metal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/19 14:42
L14	26	13 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/19 14:45
L15	6	("6483962" "5122852" "5540346"). pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/19 14:45
L16	3	15 and etch adj stop	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/19 14:47
L17	2	1 and substrate with organic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/19 14:48
L18	4	1 and substrate with (hole opening remov\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/19 14:50
L22	2	circular adj alignment adj pin and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/19 14:52
L23	0	complete adj etch adj stop with (fiber waveguide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/19 14:53
L24	0	(complete total) adj etch adj stop with (fiber waveguide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/19 14:53

L25	0	((complete\$2 total\$2) near3 (etch adj stop)) with (fiber waveguide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/19 14:54
L26	46	((complete\$2 total\$2) near3 (etch adj stop)) and (fiber waveguide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/19 14:53
L27	7	((complete\$2 total\$2) near3 (etch adj stop)) same (fiber waveguide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/19 15:42
L28	3965	385/14.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/19 15:48
L30	6	1 and depth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/19 16:24
L31	5	1 and (etch adj stop) with remov\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/19 16:44
L32	5	1 and (reference align\$4 fiducia\$2) with position\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/19 16:50
L33	1	1 and waveguide with expos\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/19 16:51
L34	4	1 and remov\$3 with substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/19 17:48
L35	1	1 and opto-electronic with align\$4 with waveguide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/19 18:10

L38	1	"5122852".pn. and gold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/19 18:30
L39	1	"20010046346" and dielectric with reflect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/19 18:39
L40	1	"20020075107" and laser near3 abla\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/19 18:44
L41	1	"5101090" and laser with abla\$4 with carbon adj dioxide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/19 18:57
L42	2	"6859603".pn. and waveguide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/19 18:59
L43	0	"6859603".pn. and waveguide with etch adj stop	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/19 18:59
L45	1	"6859603".pn. and waveguide with circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/19 18:59
S2	0	circuit adj board with (waveguide fiber) with etch\$3 near3 stop\$3 with fiducial with (open\$3 hole via)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/19 14:14
S3	1	circuit adj board same (waveguide fiber) same etch\$3 near3 stop\$3 with fiducial same (open\$3 hole via)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/17 10:56
S4	7739	fiducial	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:21

S5	18542	etch adj stop	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/17 10:56
S6	8	S4 with S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/17 10:57
S7	7522	(waveguide fiber) with circuit adj board	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/17 10:57
S8	1	S6 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/17 10:57
S10	5	S6 and (waveguide fiber)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:09
S12	3	S6 and (circuit board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/17 10:58
S13	235	S4 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:23
S14	37	S4 and "385"/14.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:10
S15	3	S14 and etch adj stop	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:11
S16	0	circuit adj board with (waveguide fiber) with etch\$3 near3 stop\$3 with (fiducial (reference alignment) adj (point mark)) with (open\$3 hole via)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:18

S17	1	circuit adj board same (waveguide fiber) same etch\$3 near3 stop\$3 same (fiducial (reference alignment) adj (point mark)) same (open\$3 hole via)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:19
S18	106700	fiducial (reference alignment) adj (mark point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/17 12:30
S19	57	S5 with S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:22
S20	1	S7 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:22
S21	1029	S18 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/17 12:32
S26	107544	fiduci\$3 (reference alignment) adj (mark point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/17 12:31
S27	8	S5 with fiducia\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/17 12:30
S28	57	S5 with S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/17 12:31
S29	157	S26 and "385"/14.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/17 12:32
S31	153	S18 and "385"/14.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/17 12:33

S33	22	S31 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/17 12:33
S34	1	S19 and 385/14.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/17 12:34
S35	6	S19 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/17 12:51
S36	4	"6236788".pn. "20030021541"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/17 12:51